

1. IDENTIFICATION

Product Name Alpha Olefin Sulphonate Liquid

Other Names Alpha-olefine sulfonates; AOS

Uses Surfactant; used as a raw material of shampoos, hand soaps, bath products, dish washing and industrial cleansers.

Chemical FamilyNo Data AvailableChemical FormulaC14H27NaO3S

Chemical Name Sodium C14-16 olefin sulfonate

Product Description No Data Available

Contact Details of the Supplier of this Safety Data Sheet

VIC 3175

Organisation Location Telephone

Aurora Cleaning Supplies F1 / 5 Bungaleen Court Dandenong South 03 9768 2669

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone	
Chemcall	Australia	1800-127406 +64-4-9179888	
Chemcall	Malaysia	+64-4-9179888	
Chemcall	New Zealand	0800-243622 +64-4-9179888	
National Poisons Centre	New Zealand	0800-764766	
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887	

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not Scheduled

Globally Harmonised System

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Hazard Categories Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Irritation - Category 2A

Pictograms



Signal Word Warning

Hazard Statements H315 Causes skin irritation.

> H319 Causes serious eye irritation.

P280 **Precautionary Statements** Prevention Wear protective gloves/eye protection/face protection.

> Response P302 + P352 IF ON SKIN: Wash with plenty of water/...

> > P332 + P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADG Code)

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Hazards

HSNO Classifications Health 6.3A Substances that are irritating to the skin

> 6.4A Substances that are irritating to the eye

Environmental 9.1D Substances that are slightly harmful to the aquatic environment or are otherwise

Hazards

designed for biocidal action

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Alpha-olefine sulfonates	C14H27NaO3S	68439-57-6	34 - 38.5 %
Sodium sulfate, anhydrous	Na2O4S	7757-82-6	0 - 1.5 %
Water	H2O	7732-18-5	Balance %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

IF SWALLOWED: Rinse mouth. Do not induce vomiting. Get immediate medical advice/attention. Swallowed

Eye IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally

lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15

minutes. If eye irritation persists, get medical advice/attention.

Skin IF ON SKIN: Remove contaminated clothing and shoes immediately. Flush skin with running water for at least 15

minutes. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing and shoes before reuse.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a Poison Centre

or doctor/physician for advice. Apply resuscitation if victim is not breathing - Administer oxygen if breathing is difficult.

Treat symptomatically.

Medical Conditions Aggravated

by Exposure

Advice to Doctor

No information available.

5. FIRE FIGHTING MEASURES

General Measures If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is

Flammability Conditions Non-combustible; however, following evaporation of aqueous component, residual material can burn if ignited.

Extinguishing Media Use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction.

Fire and Explosion Hazard Containers may explode when heated.

Hazardous Products of

Combustion

Fire or heat may produce irritating, toxic and/or corrosive fumes, including Carbon oxides, Sulfur oxides.

Special Fire Fighting

Instructions

Contain runoff from fire control or dilution water - Runoff may pollute waterways.

Personal Protective Equipment Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform

may provide limited protection.

Flash Point No Data Available **Lower Explosion Limit** No Data Available **Upper Explosion Limit** No Data Available **Auto Ignition Temperature** No Data Available **Hazchem Code** No Data Available

6. ACCIDENTAL RELEASE MEASURES

Ensure adequate ventilation. ELIMINATE all ignition sources. Do not touch or walk through spilled material. Clean up **General Response Procedure**

all spills immediately. Avoid breathing vapours and contact with eyes, skin and clothing.

Collect recoverable product into labelled containers for recycling. Absorb residues with earth, sand or other non-Clean Up Procedures

combustible material and transfer to a suitable container for disposal (see SECTION 13).

Containment Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas.

Decontamination Wash area and prevent runoff into drains.

Environmental Precautionary

Measures

Prevent, by any means available, spillage from entering drains or watercourse.

Evacuation Criteria Spill or leak area should be isolated immediately. Keep unauthorised personnel away.

Personal Precautionary

Measures

Use personal protective equipment as required (see SECTION 8). Large spill: Wear SCBA and chemical splash suit.

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing mist/vapours/aerosols and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Mix well before using and check pH value if stored for over 3 months or at high

temperature conditions. In case material is frozen, melt evenly before use. Heat within 48 hours at no higher than 50 °C. Do not open drums while melting material. Do not use localised heat sources (e.g. drum or band heaters).

Storage Storage Storage temperature 15 - 30 °C. Keep

container tightly closed. Keep away from heat and sources of ignition - No smoking. Keep away from foodstuffs and

incompatible materials (see SECTION 10).

Container Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General No specific exposure standards are available for this product.

Exposure Limits

No Data Available

Biological Limits

No information available.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local

exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source,

preventing dispersion of it into the general work area.

Personal Protection Equipment - Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Organic

vapour/particulate filter respirator (refer to AS/NZS 1715 & 1716).

- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Splash goggles.

- Hand protection: Wear protective gloves. Recommended: Impervious gloves.

- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Lab

coat or full protective suit; boots.

Special Hazards Precaustions No i

No information available.

Work Hygienic Practices

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off contaminated clothing

and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid
Appearance Liquid

Odour No information available.

Colour Yellow

pH 11.5 - 13.5 Neat (25°C)

Vapour Pressure No Data Available **Relative Vapour Density** No Data Available **Boiling Point** No Data Available **Melting Point** No Data Available **Freezing Point** No Data Available Solubility Soluble in water **Specific Gravity** No Data Available Flash Point No Data Available **Auto Ignition Temp** No Data Available **Evaporation Rate** No Data Available **Bulk Density** No Data Available **Corrosion Rate** No Data Available **Decomposition Temperature** No Data Available **Density** No Data Available **Specific Heat** No Data Available

Molecular Weight 316 g/mol

Net Propellant WeightNo Data AvailableOctanol Water CoefficientNo Data Available

Particle Size No Data Available **Partition Coefficient** No Data Available Saturated Vapour Concentration No Data Available **Vapour Temperature** No Data Available **Viscosity** No Data Available **Volatile Percent** No Data Available **VOC Volume** No Data Available **Additional Characteristics** No information available.

Potential for Dust Explosion Not applicable.

Fast or Intensely Burning

Characteristics

Flame Propagation or Burning **Rate of Solid Materials**

No information available.

No information available.

No information available.

Non-Flammables That Could

Contribute Unusual Hazards to a

Properties That May Initiate or Contribute to Fire Intensity

Reactions That Release Gases

or Vapours

Release of Invisible Flammable

Vapours and Gases

Non-combustible; however, following evaporation of aqueous component, residual material can burn if ignited.

Fire or heat may produce irritating, toxic and/or corrosive fumes, including Carbon oxides, Sulfur oxides.

No information available.

10. STABILITY AND REACTIVITY

General Information No information available. **Chemical Stability** The product is stable.

Conditions to Avoid Avoid excessive heat (avoid heating >90 °C). **Materials to Avoid** Incompatible/reactive with oxidising agents.

Hazardous Decomposition

Products

Fire or heat may produce irritating, toxic and/or corrosive fumes, including Carbon oxides, Sulfur oxides.

Hazardous Polymerisation Will not occur.

11. TOXICOLOGICAL INFORMATION

General Information - Acute toxicity: Ingestion causes gastrointestinal tract irritation with nausea, vomiting, hypermotility, diarrhoea, and

bloating. May also affect behaviour (ataxia, somnolence) and cardiovascular system.

- Skin corrosion/irritation: Causes skin irritation. Prolonged or repeated skin contact may cause allergic dermatitis.

- Eye damage/irritation: Causes serious eye irritation.

- Respiratory/skin sensitisation: No information available.

- Germ cell mutagenicity: No information available.

- Carcinogenicity: No information available.

- Reproductive toxicity: May cause adverse reproductive effects based on animal test data (No human data found).

- STOT (single exposure): Material is irritating to mucous membranes and upper respiratory tract.

- STOT (repeated exposure): Chronic ingestion may affect the liver. Prolonged or repeated inhalation may cause

allergic respiratory reaction (asthma). - Aspiration toxicity: No information available.

Acute

Ingestion Acute toxicity (Oral):

- LD50, Rat: >2,000 mg/kg [Supplier's SDS].

Other Acute toxicity (Dermal):

- LD50, Rabbit: 6,300 - 13,500 mg/kg [Supplier's SDS].

Carcinogen Category None

12. ECOLOGICAL INFORMATION

Ecotoxicity Aquatic toxicity:

- LC50, Fish (Brachydanio rerio): 1 - 10 mg/l (96 h).

Persistence/DegradabilityBiodegradable (85 %, 28 d). **Mobility**No information available.

Environmental Fate Prevent entry into drains and waterways.

Bioaccumulation Potential No information available.

Environmental Impact No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container in accordance with local/regional/national regulations.

Special Precautions for Land Fill No information available.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name Alpha Olefin Sulphonate Liquid

ClassNo Data AvailableSubsidiary Risk(s)No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name Alpha Olefin Sulphonate Liquid

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name Alpha Olefin Sulphonate Liquid

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name Alpha Olefin Sulphonate Liquid

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name Alpha Olefin Sulphonate Liquid

ClassNo Data AvailableSubsidiary Risk(s)No Data AvailableUN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data AvailableEMSNo Data Available

Marine Pollutant No

Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name Alpha Olefin Sulphonate Liquid

ClassNo Data AvailableSubsidiary Risk(s)No Data AvailableUN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification

NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information No Data Available Poisons Schedule (Aust) Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

HSR006614 **Approval Code**

National/Regional Inventories

Australia (AIIC) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) 270-407-8

Europe (REACh) Not Determined

Japan (ENCS/METI) Not Determined

Not Determined Korea (KECI)

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Not Determined

16. OTHER INFORMATION

Related Product Codes SOOLSU1000, SOOLSU1001, SOOLSU1002, SOOLSU1003, SOOLSU1004, SOOLSU1005, SOOLSU1006,

SOOLSU1007, SOOLSU1008, SOOLSU1009, SOOLSU1010, SOOLSU1013, SOOLSU1020, SOOLSU1030,

SOOLSU1035

Revision

Revision Date 22/08/2024 Reason for Issue SDS updated

< Less Than

Key/Legend

> Greater Than

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square Centimetres

CO2 Carbon Dioxide

COD Chemical Oxygen Demand

deg C (°C) Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health **immiscible** Liquids are insoluable in each other.

inHg Inch of MercuryinH2O Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. **LD50** LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50%

(one half) of a group of test animals.

Itr or L Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH2O Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight