

1. IDENTIFICATION

Product Name Borax Pentahydrate

Other Names Boric acid, disodium salt [CAS#1330-43-4]; Disodium tetraborate, anhydrous; Sodium tetraborate, pentahydrate

Uses Ceramics; Detergent; Borosilicate glass; Insulation fiberglass.

Chemical FamilyNo Data AvailableChemical FormulaNa2B4O7.5H2O

Chemical Name Disodium tetraborate, pentahydrate

Product Description No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation Location Telephone

Aurora Cleaning Supplies F1 / 5 Bungaleen Court Dandenong South VIC 3175

O3 9768 2669

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Schedule 5

Globally Harmonised System

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Hazard Categories Acute Toxicity (Oral) - Category 5

Serious Eye Damage/Irritation - Category 2A

Toxic To Reproduction - Category 2

Pictograms



Signal Word Warning

Hazard Statements H303 May be harmful if swallowed.

H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

Precautionary Statements Prevention **P201** Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice.
P337 + P313 If eye irritation persists: Get medical advice.

P312 Call a POISON CENTER or doctor if you feel unwell.

Storage **P405** Store locked up.

Disposal P501 Dispose of contents/container in accordance with local / regional / national /

international regulations.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADG Code)

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Hazards

HSNO Classifications Health **6.4A** Substances that are irritating to the eye

6.8B

Substances that are suspected human reproductive or developmental toxicants

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Borax pentahydrate	Na2B4O7.5H2O	12179-04-3	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: Rinse mouth, then drink plenty of water. Call a Poison Centre or doctor/physician for advice if large

amounts are swallowed (i.e. more than one teaspoon) or if you feel unwell.

Eye IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally

lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15

minutes. If eye irritation persists, get medical advice/attention.

Skin IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin

irritation occurs, get medical advice/attention.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory

symptoms persist, get medical advice/attention.

Advice to Doctor If exposed or concerned, get medical advice/attention. Treat symptomatically.

*Observation only is required for adult ingestion of less than 7 grams. For ingestion in excess of 7 grams, maintain adequate kidney function and force fluids. Gastric lavage is recommended for symptomatic patients only. Hemodialysis should be reserved for massive acute ingestion or patients with renal failure. Boron analyses of urine or blood are only useful for documenting exposure and should not be used to evaluate severity of poisoning or to guide

treatment.

Medical Conditions Aggravated

by Exposure

No information available.

5. FIRE FIGHTING MEASURES

General Measures Do not attempt to take action without suitable protective equipment. If safe to do so, move undamaged containers

from fire area. Cool containers with water spray until well after fire is out.

Flammability Conditions Not combustible.

*The product is itself a flame retardant.

Extinguishing Media If material is involved in a fire, use water spray, dry powder, foam.

*Any fire extinguishing media may be used on nearby fires.

Fire and Explosion Hazard Not flammable or explosive.

Hazardous Products of

Combustion

In case of fire, toxic fumes may be released.

Special Fire Fighting

Instructions

Contain runoff from fire control or dilution water - Runoff may cause pollution.

Personal Protective Equipment Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only

provide limited protection.

Flash Point
No Data Available
Lower Explosion Limit
No Data Available
Upper Explosion Limit
No Data Available
Auto Ignition Temperature
No Data Available
Hazchem Code
No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation. Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing

dust and contact with eyes, skin and clothing.

Clean Up Procedures Mechanically recover the product. Vacuum, shovel or sweep up and place in containers for disposal (see SECTION

13).

Containment Stop leak if you can do it without risk. Prevent dust cloud. Prevent entry into waterways, sewers, basements or

confined areas.

Decontamination Ventilate spillage area.

Environmental Precautionary

Measures

Avoid contamination of water bodies during clean up and disposal. Notify authorities if product enters sewers or

public waters.

Evacuation Criteria Spill or leak area should be isolated immediately. Keep unauthorised personnel away. **Personal Precautionary** Do not attempt to take action without suitable protective equipment (see SECTION 8).

Measures

*In case of exposure to high level of airborne dust, wear a personal respirator in compliance with national legislation.

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation. Obtain special instructions before use - Do not handle until all safety precautions have been read and understood. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin

and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8).

Storage Storage Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Prevent any

accidental damage to bags. Keep away from food/feedstuffs and incompatible materials (see SECTION 10). Store

locked up.

Container Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General For Borates, tetra, sodium salts (pentahydrate):

- Safe Work Australia Exposure Standard: TWA = 1 mg/m3.

- New Zealand Workplace Exposure Standard: TWA = 1 mg/m3.

Exposure LimitsNo Data Available **Biological Limits**No information available.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local

exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Maintain air concentrations below occupational exposure

andards.

Personal Protection Equipment - Respiratory protection: Wear respiratory protection, in case of inadequate ventilation or prolonged exposure to dust.

Recommended: Wear a dust mask/particulate respirator (refer to AS/NZS 1715 & 1716).

- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses. Goggles may be warranted if environment is excessively dusty.

- Hand protection: Wear protective gloves.

- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact.

Special Hazards Precaustions To m

To maintain package integrity and to minimise caking of the product, bags should be handled on a first-in, first-out

oasis

Work Hygienic Practices Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product. Take off contaminated clothing and wash it before reuse. Separate working clothes from town clothes; Launder separately. Routine housekeeping should be instituted to

ensure that dusts do not accumulate on surfaces.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

AppearanceGranular/powderOdourOdourlessColourWhite

pH 9.2 (1% solution)
 Vapour Pressure Negligible (@ 20 °C)
 Relative Vapour Density No Data Available

Boiling Point 1,575 °C **Melting Point** 741 °C

Freezing Point No Data Available

Solubility 3.7 % in water @ 20 °C - 51.2 % in water @ 100 °C

Specific Gravity 1.81

Flash Point No Data Available

Auto Ignition Temp No Data Available

Evaporation Rate No Data Available **Bulk Density** No Data Available **Corrosion Rate** No Data Available **Decomposition Temperature** No Data Available **Density** No Data Available **Specific Heat** No Data Available

Molecular Weight 291.35

Net Propellant Weight No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available Saturated Vapour Concentration No Data Available **Vapour Temperature** No Data Available **Viscosity** No Data Available **Volatile Percent** No Data Available **VOC Volume** No Data Available **Additional Characteristics** No information available. **Potential for Dust Explosion** No information available.

Fast or Intensely Burning Characteristics

No information available

Flame Propagation or Burning **Rate of Solid Materials**

No information available.

Non-Flammables That Could

Contribute Unusual Hazards to a

No information available.

Properties That May Initiate or

Not combustible.

Contribute to Fire Intensity

*The product is itself a flame retardant.

Reactions That Release Gases

In case of fire, toxic fumes may be released.

or Vapours

Release of Invisible Flammable

Reaction with strong reducing agents such as metal hydrides, acetic anhydride or alkali metals will generate hydrogen gas which could create an explosive hazard.

Vapours and Gases

10. STABILITY AND REACTIVITY

General Information Reaction with strong reducing agents such as metal hydrides, acetic anhydride or alkali metals will generate

hydrogen gas which could create an explosive hazard.

Chemical Stability Stable under normal conditions.

Conditions to Avoid Avoid generating dust. Avoid contact with incompatible materials.

Materials to Avoid Incompatible/reactive with strong reducing agents, such as metal hydrides, acetic anhydride or alkali metals.

Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. In case of

fire, toxic fumes may be released.

Hazardous Polymerisation No information available.

11. TOXICOLOGICAL INFORMATION

General Information

- Acute toxicity: May be harmful if swallowed. Products containing Borax pentahydrate are not intended for ingestion. Small amounts (e.g. a teaspoonful) swallowed accidentally are not likely to cause effects; swallowing amounts larger than that may cause gastrointestinal symptoms. Dermal exposure is not usually a concern because Borax pentahydrate is poorly absorbed through intact skin. Symptoms of accidental over-exposure to Borax pentahydrate have been associated with ingestion or absorption through large areas of damaged skin. These may include nausea, vomiting and diarrhoea, with delayed effects of skin redness and peeling.
- Skin corrosion/irritation: Non-irritant. Borax pentahydrate does not cause irritation to intact skin.

- Eye damage/irritation: Causes serious eye irritation.
- Respiratory/skin sensitisation: Disodium tetraborate, pentahydrate has no respiratory or skin sensitisation.
- Germ cell mutagenicity: Disodium tetraborate, pentahydrate is not mutagenic.
- Carcinogenicity: Disodium tetraborate, pentahydrate is not carcinogenic.
- Reproductive toxicity: Suspected of damaging the unborn child.
- STOT (single exposure): Occasional mild irritation effects to nose and throat may occur from inhalation of Borax pentahydrate dusts at levels higher than 10 mg/m3.
- STOT (repeated exposure): No information available.
- Aspiration toxicity: Disodium tetraborate, pentahydrate has no aspiration hazard.

Acute

Ingestion Acute toxicity (Oral):

- LD50, Rats: >2,500 mg/kg bw. (Disodium tetraborate, anhydrous).

Other Acute toxicity (Dermal):

- LD50, Rabbits: >2,000 mg/kg bw.

Chronic

Reproduction

Animal feeding studies in rat, mouse and dog, at high doses, have demonstrated effects on fertility and testes. Studies in rat, mouse and rabbit, at high doses, demonstrate developmental effects on the foetus including foetal weight loss and minor skeletal variations. The doses administered were many times in excess of those which humans would normally be exposed to. While boron has been shown to adversely affect male reproduction in laboratory animals, there is no clear evidence of male reproductive effects attributable to boron in studies of highly exposed workers. An epidemiology study under the conditions of normal occupational exposure to borate dusts indicated no effect on fertility. Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to borate dusts. A study conducted in Turkey with boron exposed mine workers showed that mean blood concentrations of the high exposure group is ~6 times and ~9 times lower than those of the highest no effect level of boron in blood with regard to developmental and reprotoxic effects (respectively) in rats. With those findings, no unfavourable effects of boron exposure on reproductive indicators are observed in humans.

Carcinogen Category

Persistence/Degradability

None

12. ECOLOGICAL INFORMATION

Ecotoxicity Aquatic toxicity:

> - LC50, Fish (Pimephales promelas): 79.7 mg B/L or 537 mg Borax pentahydrate/L (96 h). - EC50, Crustacea (Daphnia magna): 133 mg B/L or 896 mg Borax pentahydrate/L (48 h).

- EC50, Algae/aquatic plants (Pseudokirchneriella subcapitata): 40 mg B/L or 270 mg Borax pentahydrate/L (72 h)

Boron is naturally occurring and ubiquitous in the environment. Disodium tetraborate, pentahydrate decomposes in

the environment to natural borate.

Mobility The product is soluble in water and is leachable through normal soil. **Environmental Fate**

Boron is an essential micronutrient for healthy growth of plants; however, it can be harmful to boron sensitive plants

in higher quantities. Care should be taken to minimise the amount of borate product released to the environment.

Bioaccumulation Potential Not bioaccumulative. **Environmental Impact** No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container in accordance with local/regional/national regulations.

Special Precautions for Land Fill Small quantities of Borax pentahydrate can usually be disposed of at landfill sites. Tonnage quantities of product are not recommended to be sent to landfills. Such product should, if possible, be used for an appropriate application.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name

Class

No Data Available

Subsidiary Risk(s)

No Data Available

No Data Available

UN Number

No Data Available

Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name

Class

No Data Available

Subsidiary Risk(s)

No Data Available

No Data Available

No Data Available

UN Number

No Data Available

Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping NameBorax PentahydrateClassNo Data AvailableSubsidiary Risk(s)No Data AvailableUN NumberNo Data AvailableHazchemNo Data Available

HazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name
Class
No Data Available
Subsidiary Risk(s)
No Data Available
No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping NameBorax PentahydrateClassNo Data AvailableSubsidiary Risk(s)No Data AvailableUN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data AvailableEMSNo Data Available

Marine Pollutant No

Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name

Class

No Data Available

Subsidiary Risk(s)

No Data Available

UN Number

No Data Available

Hazchem

No Data Available

Pack Group

No Data Available

Special Provision

No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods ClassificationNOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information BORIC ACID (excluding its salts) and BORAX

Poisons Schedule (Aust) Schedule 5

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code HSR003998 (Reissued)

National/Regional Inventories

Australia (AIIC) Listed

Canada (DSL) Listed

Canada (NDSL) Not Listed

China (IECSC) Listed

Europe (EINECS) 215-540-4

Europe (REACh) Listed

Japan (ENCS/METI) Listed

Korea (KECI) Hydrate of Borax (KE-03483)

Malaysia (EHS Register) Listed

New Zealand (NZIoC) Listed

Philippines (PICCS) Listed

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Listed

USA (TSCA) Listed

16. OTHER INFORMATION

Related Product Codes BORASA0300, BORASA0301, BORASA0500, BORASA0501, BORASA0550, BORASA0600,

BORASA1700, BORASA0701, BORASA1200, BORASA1201, BORASA1210, BORASA1212, BORASA1220, BORASA1300, BORASA1301, BORASA1400, BORASA1500, BORASA1600, BORASA1700, BORASA2100, BORASA500, BORASA500, BORASA500, BORASA500, BORASA500, GRABOR3020, GRABOR3020, GRABOR7000,

GRABOR8000

Revision

Revision Date22/08/2024Reason for IssueSDS updatedKey/Legend< Less Than</th>

> Greater Than

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square CentimetresCO2 Carbon Dioxide

COD Chemical Oxygen Demand **deg C (°C)** Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health **immiscible** Liquids are insoluable in each other.

inHg Inch of Mercury inH2O Inch of Water

K Kelvin **kg** Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. **LD50** LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50%

(one half) of a group of test animals.

Itr or L Litre m³ Cubic Metre mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH2O Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight