

1. IDENTIFICATION

Product Name Cyanuric acid
Other Names Isocyanuric acid

Uses Chlorine stabiliser; precursor/component of bleaches (whitening agent); reagents; disinfectants.

Chemical FamilyNo Data AvailableChemical FormulaC3H3N3O3

Chemical Name 1,3,5-Triazine-2,4,6(1H,3H,5H)-trione

Product Description No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Aurora Cleaning Supplies

F1 / 5 Bungaleen Court
Dandenong South,
VIC, 3175

Telephone

03 9768 2669

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Schedule 5

Globally Harmonised System

Hazard Classification NOT hazardous according to the criteria of the Globally Harmonised System of Classification and

Labelling of Chemicals (GHS)

Signal Word None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADG Code)

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

HSNO Classifications Health 6.4A Substances that are irritating to the eye

Hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Cyanuric acid	C3H3N3O3	108-80-5	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: Rinse mouth, then drink a glass of water. Do not induce vomiting. For advice, contact a Poisons

Information Centre or a doctor (at once). If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Never give anything by mouth to an unconscious

Eye IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally

lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15

minutes. If eye irritation persists, get medical advice/attention.

*Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin Skin

irritation occurs, get medical advice/attention.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory

symptoms persist, get medical advice/attention. Give artificial respiration if victim is not breathing. Administer oxygen

if breathing is difficult. Treat symptomatically.

Medical Conditions Aggravated No information available.

by Exposure

Advice to Doctor

5. FIRE FIGHTING MEASURES

General Measures If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is

Flammability Conditions Non-combustible material.

Extinguishing Media If material is involved in a fire, use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction.

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source

is a potential dust explosion hazard. Fire and Explosion Hazard

Hazardous Products of

Combustion

Decomposes on heating, emitting toxic fumes, including Carbon oxides, Nitrogen oxides, isocyanic acid and cyanide

gas.

Special Fire Fighting

Instructions

Contain runoff from fire control or dilution water - Runoff may cause pollution. Fire residues and contaminated

firefighting water must be disposed of in accordance with the local regulations.

Personal Protective Equipment Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only

provide limited protection.

Flash Point No Data Available **Lower Explosion Limit** No Data Available **Upper Explosion Limit** No Data Available **Auto Ignition Temperature** No Data Available **Hazchem Code** No Data Available

6. ACCIDENTAL RELEASE MEASURES

Ensure adequate ventilation. ELIMINATE all ignition sources (if dust clouds can occur). Do not touch or walk through **General Response Procedure**

spilled material - Slippery when spilt! Avoid dust formation. Avoid breathing dust and contact with eyes, skin and

Clean Up Procedures Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for

disposal (see SECTION 13).

Containment Stop leak if you can do it without risk. Prevent dust cloud. Prevent entry into waterways, sewers, basements or

confined areas.

Decontamination Ventilate area and clean contaminated floors and objects thoroughly with water and detergents, observing

environmental regulations.

Environmental Precautionary

Measures

Prevent entry into drains and waterways. If contamination of sewers or waterways has occurred advise local

emergency services.

Evacuation Criteria Spill or leak area should be isolated immediately. Evacuate personnel to safe areas. Keep unauthorised personnel

Personal Precautionary

Measures

Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid dust formation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Keep away from heat and sources of ignition - No smoking. Take precautionary measures

against electrostatic charges - earthing necessary during loading operations.

Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep containers tightly closed when not in use -Storage

check regularly for spills. Protect from moisture (hygroscopic). Keep away from heat and sources of ignition - No

smoking. Keep away from foodstuffs and incompatible materials (see SECTION 10).

Container Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

No value assigned for this specific material by Safe Work Australia. For dusts from solid substances without specific General

occupational exposure standards:

- Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m3, measured as inhalable dust.

- New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m3; TWA = 3 mg/m3 (respirable).

Exposure Limits No Data Available

Biological Limits No information available.

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local **Engineering Measures**

exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

Personal Protection Equipment

- Respiratory protection: Wear respiratory protection in case of inadequate ventilation or an inhalation risk exists. Recommended: Dust mask/particulate respirator (refer to AS/NZS 1715 & 1716).
- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses or chemical safety goggles.
- Hand protection: Handle with gloves. Recommended: Impervious gloves, e.g. Rubber gloves.
- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended:

Overalls, safety shoes.

Special Hazards Precaustions No information available.

Work Hygienic Practices Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Immediately

remove all soiled and contaminated clothing. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Appearance Crystalline, powder or granular

Odour Odourless
Colour White

pH >=4.0 (1% soln.)
 Vapour Pressure No Data Available
 Relative Vapour Density No Data Available
 Boiling Point No Data Available

Melting Point 320 - 360 °C (Decomposes)

Freezing Point No Data Available

Solubility 0.27 g/100 ml water 25°C

Specific Gravity 1.75 - 2.5

Flash Point No Data Available
Auto Ignition Temp No Data Available
Evaporation Rate No Data Available
Bulk Density No Data Available
Corrosion Rate No Data Available

Decomposition Temperature >=320 °C

Density 1.75 - 2.5 g/cm3 **Specific Heat** No Data Available **Molecular Weight** 129.07 g/mol **Net Propellant Weight** No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available Saturated Vapour Concentration No Data Available **Vapour Temperature** No Data Available **Viscosity** No Data Available **Volatile Percent** No Data Available **VOC Volume** No Data Available

Additional Characteristics No information available.

Potential for Dust Explosion Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source

is a potential dust explosion hazard.

Fast or Intensely Burning

Characteristics

No information available.

Flame Propagation or Burning Rate of Solid Materials No information available.

Non-Flammables That Could Contribute Unusual Hazards to a

No information available.

Fire

Properties That May Initiate or Contribute to Fire Intensity

Non-combustible material.

Reactions That Release Gases

or Vapours

Decomposes on heating, emitting toxic fumes, including Carbon oxides, Nitrogen oxides, isocyanic acid and cyanide

gas

Release of Invisible Flammable

Vapours and Gases

No information available.

10. STABILITY AND REACTIVITY

General InformationNo decomposition when used as directed.Chemical StabilityMaterial is stable under normal conditions.

Conditions to Avoid Avoid dust formation. Keep away from heat and sources of ignition. Protect from moisture.

Materials to Avoid Incompatible/reactive with strong oxidising agents.

Hazardous Decomposition

Products

Decomposes on heating, emitting toxic fumes, including Carbon oxides, Nitrogen oxides, isocyanic acid and cyanide

gas

Hazardous Polymerisation No.

No information available.

11. TOXICOLOGICAL INFORMATION

General Information Information on possible routes of exposure:

- Ingestion: No adverse effects expected; may cause abdominal pain, nausea and vomiting.

Eye contact: Mildly irritating to the eyes.Skin contact: May cause mild skin irritation.

- Inhalation: May cause slight respiratory tract irritation, cough, sore throat.

Chronic effects: None of the substances in this product are listed as carcinogens by the international agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the American Conference of Governmental

Industrial Hygienists (ACGIH).

Acute

Ingestion Acute toxicity (Oral):

- LD50, Rat: >5,000 mg/kg bw. [Supplier's SDS].

Other Acute toxicity (Dermal):

- LD50, Rabbit: >5,000 mg/kg bw. [Supplier's SDS].

Carcinogen Category None

12. ECOLOGICAL INFORMATION

Ecotoxicity Aquatic toxicity:

LC50, Fish: >2,100 mg/L (96 h) [OECD 203].
LC50, Daphnia: >1,000 mg/L (48 h) [OECD 202].
EC50, Algae: >100 mg/L (72 h) [OECD 201].

Persistence/Degradability

In highly aerobic media cyanuric acid resists biodegradation. Anaerobic growth in sewage degrades cyanuric acid.

Mobility Cyanuric acid is weakly adsorbed and highly mobile in soils.

Environmental Fate Prevent entry into drains and waterways.

Bioaccumulation Potential Not potentially bioaccumulative.

Environmental Impact No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Recycle to process, if possible or dispose of (contents/container) in accordance with local/regional/national

regulations.

Special Precautions for Land Fill Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping NameCyanuric acidClassNo Data AvailableSubsidiary Risk(s)No Data AvailableNo Data AvailableUN NumberNo Data Available

Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

 Proper Shipping Name
 Cyanuric acid

 Class
 No Data Available

 Subsidiary Risk(s)
 No Data Available

 UN Number
 No Data Available

Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name Cyanuric acid
Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping NameCyanuric acidClassNo Data AvailableSubsidiary Risk(s)No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name Cyanuric acid Class No Data Available Subsidiary Risk(s) No Data Available **UN Number** No Data Available Hazchem No Data Available No Data Available **Pack Group Special Provision** No Data Available **FMS** No Data Available

Marine Pollutant No

Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping NameCyanuric acidClassNo Data AvailableSubsidiary Risk(s)No Data AvailableUN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General InformationCYANURIC ACIDPoisons Schedule (Aust)Schedule 5

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code HSR002684

HSR007179 (Revoked)

National/Regional Inventories

Australia (AIIC) Listed

Canada (DSL) Listed

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) Not Determined

Europe (REACh)Not Determined

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Listed

16. OTHER INFORMATION

Related Product Codes CYACID0100, CYACID0101, CYACID0110, CYACID0115, CYACID0116, CYACID0200, CYACID0202, CYACID0210,

CYACID0211, CYACID0215, CYACID0220, CYACID0300, CYACID0303, CYACID0410, CYACID0500, CYACID0900, CYACID0901, CYACID1000, CYACID1001, CYACID1002, CYACID1003, CYACID1004, CYACID1005, CYACID1006, CYACID1007, CYACID1008, CYACID1009, CYACID1010, CYACID1011, CYACID1012, CYACID1013, CYACID1014, CYACID1015, CYACID1016, CYACID1017, CYACID1018, CYACID1019, CYACID1020, CYACID1021, CYACID1024, CYACID1025, CYACID1035, CYACID1100, CYACID1101, CYACID1800, CYACID1801, CYACID1802, CYACID1803, CYACID1804, CYACID1805, CYACID1806, CYACID1807, CYACID2000, CYACID2001, CYACID2002, CYACID2003, CYACID2004, CYACID2400, CYACID2401, CYACID2500, CYACID2501, CYACID2510, CYACID2600, CYACID2601, CYACID2602, CYACID3600, CYACID3601, CYACID3602, CYACID3600, CYACID3601, CYACID3600, CYACID3601, CYACID3600, CYACID3601, CYACID3600, CYACID4700, CYACID4400, CYACID4500, CYACID4501, CYACID4502, CYACID4600, CYACID4600, CYACID47040, CYACID4715, CYACID4800, CYACID5000, CYACID5001, CYACID9201, CYACID9300, CYACID9301, CYACID9400, ISCYAC1001, ISCYAC1001

Revision 4

 Revision Date
 22/08/2024

 Reason for Issue
 Update SDS

 Key/Legend
 < Less Than</td>

 > Greater Than

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square CentimetresCO2 Carbon Dioxide

COD Chemical Oxygen Demand

deg C (°C) Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health

immiscible Liquids are insoluable in each other.

inHg Inch of Mercury

inH2O Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

itr or L Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH2O Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight