



**Safety Data Sheet
Solvent Degreaser
Revision 4, 14/02/2023**

1. IDENTIFICATION

Product Name	Solvent Degreaser
Other Names	Turpentine substitute
Uses	Industrial solvent.
Chemical Family	No Data Available
Chemical Formula	Unspecified
Chemical Name	
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Aurora Cleaning Supplies	F1 / 5 Bungaleen Court Dandenong South VIC 3175	03 9768 2669

Emergency Contact Details


For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Schedule 5

Globally Harmonised System

Hazard Classification	Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)	
Hazard Categories	Flammable Liquids - Category 3 Skin Corrosion/Irritation - Category 2 Specific Target Organ Toxicity (Single Exposure) - Category 3 Aspiration Hazard - Category 1 Long-term Hazard To The Aquatic Environment - Category 2	
Pictograms		
Signal Word	Danger	
Hazard Statements	H226	Flammable liquid and vapour.
	H304	May be fatal if swallowed and enters airways.
	H315	Causes skin irritation.
	H336	May cause drowsiness or dizziness.
	H411	Toxic to aquatic life with long lasting effects.
Precautionary Statements	Prevention	P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P261 Avoid breathing mist/vapours/spray. P235 Keep cool. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting and all other equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection.
	Response	P370 + P378 In case of fire: Use carbon dioxide (CO ₂), dry chemical or foam for extinction. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor. P331 Do NOT induce vomiting. P302 + P352 IF ON SKIN: Wash with plenty of water/... P312 Call a POISON CENTER or doctor if you feel unwell. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P332 + P313 If skin irritation occurs: Get medical advice/attention. P304 + P340 IF INHALED: Remove victim to fresh air and keep comfortable for breathing. P363 Wash contaminated clothing before reuse.
	Storage	P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.
	Disposal	P501 Dispose of contents/container in accordance with local / regional / national / international regulations.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

HSNO Classifications	Physical Hazards	3.1C	Flammable liquid - medium hazard
	Health Hazards	6.1E	Substances that are acutely toxic –May be harmful, Aspiration hazard
		6.3A	Substances that are irritating to the skin
		6.9B	Substances that are harmful to human target organs or systems
Environmental Hazards	9.1B	Substances that are ecotoxic in the aquatic environment	

3. COMPOSITION/INFORMATION ON INGREDIENTS*Ingredients*

Chemical Entity	Formula	CAS Number	Proportion
Naphtha, petroleum, hydrodesulfurized heavy	Unspecified	64742-82-1	65 - 70 %
Solvent naphtha, petroleum, light aromatic	Unspecified	64742-95-6	30 - 35 %
Contains: Benzene, 1,2,4-trimethyl-	C9H12	95-63-6	- %
Contains: Benzene, 1,3,5-trimethyl-	C9H12	108-67-8	- %
Contains: Xylene, mixed isomers	C8H10	1330-20-7	- %

4. FIRST AID MEASURES*Description of necessary measures according to routes of exposure*

Swallowed	IF SWALLOWED: Rinse mouth, then give a glass of water to drink. Do NOT induce vomiting. Immediately call a Poison Centre or doctor/physician for advice. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Never give anything by mouth to an unconscious person.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.
Skin	IF ON SKIN (or hair): Remove and isolate contaminated clothing and shoes. Immediately flush skin and hair with running water for at least 15 minutes. If skin irritation occurs, get medical advice/attention. In case of gross contamination, drench contaminated clothing and skin with plenty of water before removing clothes. For skin burns, cover with a clean, dry dressing until medical help is available. If blistering occurs, do NOT break blisters.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a Poison Centre or doctor/physician for advice. Give artificial respiration if victim is not breathing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Administer oxygen if breathing is difficult.
Advice to Doctor	Treat symptomatically. Keep victim calm and warm. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool container with water spray until well after fire is out. Avoid getting water inside containers.
Flammability Conditions	HIGHLY FLAMMABLE LIQUID: Low flashpoint - Will be easily ignited by heat, sparks or flames at ambient temperatures.

Safety Data Sheet, Solvent Degreaser, Revision 4, 14/02/2023

Extinguishing Media	Use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction - Do not use water jets. *Caution: Use of water spray when fighting fire may be inefficient.
Fire and Explosion Hazard	Risk of violent reaction or explosion! Vapours will form explosive mixtures with air. Vapours will travel to source of ignition and flash back. Many vapours are heavier than air and will collect in low or confined areas. Vapours from runoff may create an explosion hazard. Heating can cause expansion or decomposition leading to violent rupture of containers.
Hazardous Products of Combustion	Fire may produce irritating and/or toxic gases, including oxides of Carbon and Nitrogen, smoke and other toxic fumes.
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may pollute waterways; Vapours from runoff may create an explosion hazard.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters protective clothing will provide thermal protection but provides only limited chemical protection.
Flash Point	38 °C [Abel Closed Cup]
Lower Explosion Limit	0.7 %
Upper Explosion Limit	6.5 %
Auto Ignition Temperature	No Data Available
Hazchem Code	3Y

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation - Ventilate enclosed spaces before entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flame); All equipment used in handling the product must be earthed. Do not touch or walk through spilled material - Slippery when spilt. Avoid accidents, clean up immediately! Avoid breathing vapours and contact with eyes, skin and clothing.
Clean Up Procedures	Absorb spill with earth, sand or other non-combustible material. Use clean, non-sparking tools to collect material and place it in suitable containers for later disposal (see SECTION 13).
Containment	Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas.
Decontamination	No information available.
Environmental Precautionary Measures	Spillages and decontamination runoff should be prevented from entering drains and watercourses. contamination of crops, sewers or waterways has occurred advise local emergency services.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away. Keep upwind and to higher ground.
Personal Precautionary Measures	Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation - Use only outdoors or in a well-ventilated area. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing mist/vapours/aerosols and contact with eyes, skin and clothing. Do not ingest. Wear protective gloves/eye protection/face protection (see SECTION 8). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container standing upright and tightly closed when not in use - Check regularly for leaks. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Keep away from food/feedstuffs and incompatible materials (see SECTION 10). Store locked up.
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	For Solvent Degreaser:
----------------	------------------------

Safety Data Sheet, Solvent Degreaser Revision 4, 14/02/2023

- Safe Work Australia Exposure Standard: TWA = 480 mg/m³.

Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Use explosion-proof electrical/ventilating/lighting equipment.
Personal Protection Equipment	<ul style="list-style-type: none">- Respiratory protection: In case of inadequate ventilation or if an inhalation risk exists, wear respiratory protection. Recommended: organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses.- Hand protection: Wear protective gloves. No recommendation.- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes.
Special Hazards Precautions	No information available.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Liquid
Odour	Hydrocarbon
Colour	Clear
pH	No Data Available
Vapour Pressure	No Data Available
Relative Vapour Density	4.3 Air = 1
Boiling Point	150 - 193 °C
Melting Point	No Data Available
Freezing Point	No Data Available
Solubility	Insoluble in water
Specific Gravity	No Data Available
Flash Point	38 °C [Abel Closed Cup]
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	810 kg/m ³ (typical)
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Not applicable.

Fast or Intensely Burning Characteristics	Risk of violent reaction or explosion!
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	HIGHLY FLAMMABLE LIQUID: Low flashpoint - Will be easily ignited by heat, sparks or flames at ambient temperatures.
Reactions That Release Gases or Vapours	Fire or heat may produce irritating and/or toxic gases, including oxides of Carbon and Nitrogen, smoke and other toxic fumes.
Release of Invisible Flammable Vapours and Gases	Vapours will form explosive mixtures with air

10. STABILITY AND REACTIVITY

General Information	No known hazardous reactions.
Chemical Stability	This material is thermally stable when stored and used as directed.
Conditions to Avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
Materials to Avoid	Incompatible/reactive with oxidising agents.
Hazardous Decomposition Products	Fire or heat may produce irritating and/or toxic gases, including oxides of Carbon and Nitrogen, smoke and other toxic fumes.
Hazardous Polymerisation	No information available.

11. TOXICOLOGICAL INFORMATION

General Information	<ul style="list-style-type: none"> - Acute toxicity: This material has been classified as non-hazardous. Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract. May cause lung damage if swallowed. - Skin corrosion/irritation: Causes skin irritation. - Eye damage/irritation: May be an eye irritant. - Respiratory/skin sensitisation: Not a respiratory or skin sensitiser. - Germ cell mutagenicity: This material has been classified as non-hazardous. - Carcinogenicity: This material has been classified as non-hazardous. - Reproductive toxicity: This material has been classified as non-hazardous. - STOT (single exposure): Material may be an irritant to mucous membranes and respiratory tract. May cause headaches, nausea, drowsiness or dizziness; Inhalation exposure may result in depression of the central nervous system, which can lead to loss of coordination, impaired judgement and if exposure is prolonged, unconsciousness. - STOT (repeated exposure): This material has been classified as non-hazardous. - Aspiration toxicity: May be fatal if swallowed and enters airways. Small amounts of liquid aspirated into the respiratory system during ingestion or vomiting may cause broncho-pneumonia or pulmonary oedema.
Acute	
Ingestion	Acute toxicity (Oral): - Acute toxicity estimate (ATE): >2,000 mg/kg (based on ingredients).
Inhalation	Acute toxicity (Inhalation): - Acute toxicity estimate (ATE): >20 mg/L (based on ingredients).
Other	Acute toxicity (Dermal): - Acute toxicity estimate (ATE): >2,000 mg/kg
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	Aquatic toxicity: - Acute toxicity estimate (based on ingredients): >100 mg/L. - Chronic aquatic toxicity: Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity
--------------------	--

data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): 1 - 10 mg/L, where the substance is not rapidly degradable and/or BCF = 500 and/or log Kow = 4.

Persistence/Degradability	No information available.
Mobility	No information available.
Environmental Fate	Toxic to aquatic life with long lasting effects - Avoid release to the environment.
Bioaccumulation Potential	No information available.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	If possible, material and its container should be recycled. If material or container cannot be recycled, dispose of in accordance with local/regional/national regulations.
Special Precautions for Land Fill	Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used (see SECTION 8 of this SDS).

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name	TURPENTINE SUBSTITUTE
Class	3 Flammable Liquids
Subsidiary Risk(s)	No Data Available
EPG	14 Liquids - Highly Flammable
UN Number	1300
Hazchem	3Y
Pack Group	III
Special Provision	No Data Available

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	TURPENTINE SUBSTITUTE
Class	3 Flammable Liquids
Subsidiary Risk(s)	No Data Available
EPG	14 Liquids - Highly Flammable
UN Number	1300
Hazchem	3Y
Pack Group	III
Special Provision	No Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	TURPENTINE SUBSTITUTE
Class	3 Flammable Liquids
Subsidiary Risk(s)	No Data Available
EPG	14 Liquids - Highly Flammable
UN Number	1300

Hazchem	3Y
Pack Group	III
Special Provision	No Data Available

Land Transport (United States of America)

US DOT

Proper Shipping Name	TURPENTINE SUBSTITUTE
Class	3 Flammable Liquids
Subsidiary Risk(s)	No Data Available
ERG	128 Flammable Liquids (Non-Polar / Water-Immiscible)
UN Number	1300
Hazchem	No Data Available
Pack Group	III
Special Provision	No Data Available

Sea Transport

IMDG Code

Proper Shipping Name	TURPENTINE SUBSTITUTE
Class	3 Flammable Liquids
Subsidiary Risk(s)	No Data Available
UN Number	1300
Hazchem	No Data Available
Pack Group	III
Special Provision	No Data Available
EMS	F-E, S-E
Marine Pollutant	Yes

Air Transport

IATA DGR

Proper Shipping Name	TURPENTINE SUBSTITUTE
Class	3 Flammable Liquids
Subsidiary Risk(s)	No Data Available
UN Number	1300
Hazchem	3Y
Pack Group	III
Special Provision	No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Schedule 5

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code HSR002650

National/Regional Inventories

Australia (AIIIC)	Listed
Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	Not Determined
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Not Determined

16. OTHER INFORMATION

Related Product Codes MITURP1000, MITURP1001, MITURP1002, MITURP1003, MITURP1004, MITURP1005, MITURP1006, MITURP1007, MITURP1500, MITURP2000, MITURP2400, MITURP2500, MITURP2501, MITURP3000, MITURP3010, MITURP3011, MITURP3012, MITURP3020, MITURP3030, MITURP3040, MITURP3050, MITURP3060, MITURP3070, MITURP3090, MITURP3100, MITURP3500, MITURP4000, MITURP4001, MITURP6000, MITURP6001, MITURP6500, MITURP6501, MITURP7700, MITURP8000, MITURP8020, MITURP8030, MITURP8100, MITURP8500, MITURP9000

Revision 4

Revision Date 14/02/2023

Key/Legend

- < Less Than
- > Greater Than
- AICS** Australian Inventory of Chemical Substances
- atm** Atmosphere
- CAS** Chemical Abstracts Service (Registry Number)
- cm²** Square Centimetres
- CO₂** Carbon Dioxide
- COD** Chemical Oxygen Demand
- deg C (°C)** Degrees Celcius
- EPA (New Zealand)** Environmental Protection Authority of New Zealand
- deg F (°F)** Degrees Farenheit
- g** Grams
- g/cm³** Grams per Cubic Centimetre

Safety Data Sheet, Solvent Degreaser, Revision 4, 14/02/2023

g/l Grams per Litre

HSNO Hazardous Substance and New Organism

IDLH Immediately Dangerous to Life and Health

immiscible Liquids are insoluble in each other.

inHg Inch of Mercury

inH₂O Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

lb Pound

LC₅₀ LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD₅₀ LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

ltr or **L** Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH₂O Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Health and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight